

UPDATED: February 13, 2024

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>GENERATORS</b>						
CUMMINS / DS-GA A-E / QSB7	3.0"	Auto / Manual	Electric – Micro Switch	C50220A	6320	PH2
CUMMINS / C60D6R / QSB5 CUMMINS / C80D6R / QSB5 CUMMINS / 100D6R / QSB	3.0"	Auto / Manual	Electric – Micro Switch	C50227A	6333	PH2
CUMMINS / DSFAA-35 KW / DSFAB-40KW / DS- FAC-50 KW / DSFAD-60 KW / DSFAE-80 KW	3.0"	Auto / Manual	Electric – Micro Switch	C50231A	6375	PH2
CUMMINS / C300 D6R / QSM	4.0"	Auto / Manual	Electric – Micro Switch	C50232A	6337	PH2
CUMMINS / DFEG (350) / FEH (400) / DFEJ (450) / DFEK (500) 24 VDC	5.0"	Auto / Manual	Electric – Micro Switch	C50237A	6378	PH2
GENERIC	5.0"	Auto / Manual	Electric	C50247A	6275	PH2
GENERIC 24 VDC	5.0"	Auto / Manual	Electric	C50247A-24	6275	PH2
GENERIC	5.0"	Manual / Manual	Electric	C50247	6274	PH2
GENERIC 24 VDC	5.0"	Manual / Manual	Electric	C50247-24	6274	PH2

<b>COMPRESSORS</b>						
DOOSAN 1600 - AUTOMATIC MAG 5/8" W/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C50315A	6325 / 6452	PH3

<b>LIGHT TOWERS</b>						
PH3 - LTW20 / 20KW / BV- 4LEZ ENGINE	2.0"	Auto / Auto or Manual	Electric	C50222A	6325 / 6452	PH3

<b>WELDERS</b>						
PH3 VANTAGE 400 WELDER	1.5"	Auto / Auto or Manual	Electric	C50321A	6325 / 6452	PH3
PH3 VANTAGE 400 WELDER	1.75"	Auto / Auto or Manual	Electric	C50224A	6325 / 6452	PH3

<b>ISUZU 3CJ ENGINE</b>						
ISUZU 3CJ ENGINE	1.75"	Auto / Auto or Manual	Electric	C50246A	6325 / 6452	PH3



UPDATED: February 13, 2024

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 1.5"</b>						
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	1.5"	Manual / Auto	Electric	<b>C50321T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	1.5"	Manual / Auto	Electric	<b>C50321T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	1.5"	Manual / Auto	Electric	<b>C50321T-15</b>	6481	<b>PH3</b>

<b>UNIVERSAL 1.75"</b>						
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	1.75"	Manual / Auto	Electric	<b>C50224T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	1.75"	Manual / Auto	Electric	<b>C50224T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	1.75"	Manual / Auto	Electric	<b>C50224T-15</b>	6481	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	1.75"	Auto / Manual	Electric	<b>C50290A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	1.75"	Auto / Manual	Electric	<b>C50290A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	1.75"	Manual / Manual	Electric	<b>C50290-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	1.75"	Manual / Manual	Electric	<b>C50290-24</b>	6447 / 6448	<b>PH5</b>



UPDATED: February 13, 2024

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 2.0"</b>						
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	2.0"	Auto / Auto or Manual	Electric	<b>C50225A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	2.0"	Auto / Auto or Manual	Electric	<b>C50225A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	2.0"	Manual / Auto	Electric	<b>C50225T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	2.0"	Manual / Auto	Electric	<b>C50225T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	2.0"	Manual / Auto	Electric	<b>C50225T-15</b>	6481	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	2.0"	Auto / Manual	Electric	<b>C50291A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	2.0"	Auto / Manual	Electric	<b>C50291A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	2.0"	Manual / Manual	Electric	<b>C50291-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	2.0"	Manual / Manual	Electric	<b>C50291-24</b>	6447 / 6448	<b>PH5</b>

<b>UNIVERSAL 2.25"</b>						
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	2.25"	Auto / Auto or Manual	Electric	<b>C50252A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	2.25"	Auto / Auto or Manual	Electric	<b>C50252A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	2.25"	Manual / Auto	Electric	<b>C50252T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	2.25"	Manual / Auto	Electric	<b>C50252T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	2.25"	Manual / Auto	Electric	<b>C50252T-15</b>	6481	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	2.25"	Auto / Manual	Electric	<b>C50292A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	2.25"	Auto / Manual	Electric	<b>C50292A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	2.25"	Manual / Manual	Electric	<b>C50292-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	2.25"	Manual / Manual	Electric	<b>C50292-24</b>	6447 / 6448	<b>PH5</b>



UPDATED: February 13, 2024

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 2.5"</b>						
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	2.5"	Auto / Auto or Manual	Electric	<b>C50243A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	2.5"	Auto / Auto or Manual	Electric	<b>C50243A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.5"	Auto / Auto or Manual	Electric	<b>C50243A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	2.5"	Auto / Auto or Manual	Electric	<b>C50243A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	2.5"	Auto / Auto or Manual	Electric	<b>C50243A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	2.5"	Manual / Auto	Electric	<b>C50243T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	2.5"	Manual / Auto	Electric	<b>C50243T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	2.5"	Manual / Auto	Electric	<b>C50243T-15</b>	6481	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	2.5"	Auto / Manual	Electric	<b>C50293A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	2.5"	Auto / Manual	Electric	<b>C50293A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	2.5"	Manual / Manual	Electric	<b>C50293-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	2.5"	Manual / Manual	Electric	<b>C50293-24</b>	6447 / 6448	<b>PH5</b>

<b>UNIVERSAL 2.75"</b>						
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	2.75"	Auto / Auto or Manual	Electric	<b>C50244A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	2.75"	Auto / Auto or Manual	Electric	<b>C50244A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.75"	Auto / Auto or Manual	Electric	<b>C50244A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	2.75"	Auto / Auto or Manual	Electric	<b>C50244A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	2.75"	Auto / Auto or Manual	Electric	<b>C50244A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	2.75"	Manual / Auto	Electric	<b>C50244T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	2.75"	Manual / Auto	Electric	<b>C50244T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	2.75"	Manual / Auto	Electric	<b>C50244T-15</b>	6481	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	2.75"	Auto / Manual	Electric	<b>C50294A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	2.75"	Auto / Manual	Electric	<b>C50294A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	2.75"	Manual / Manual	Electric	<b>C50294-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	2.75"	Manual / Manual	Electric	<b>C50294-24</b>	6447 / 6448	<b>PH5</b>



UPDATED: February 13, 2024

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 3.0"</b>						
<b>AUTOMATIC</b> MAG 3/4" w/ 5' HARNESS	3.0"	Auto / Auto or Manual	Electric	<b>C50226A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/4" w/ 10' HARNESS	3.0"	Auto / Auto or Manual	Electric	<b>C50226A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	3.0"	Auto / Auto or Manual	Electric	<b>C50226A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	3.0"	Auto / Auto or Manual	Electric	<b>C50226A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	3.0"	Auto / Auto or Manual	Electric	<b>C50226A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	3.0"	Manual / Auto	Electric	<b>C50226T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	3.0"	Manual / Auto	Electric	<b>C50226T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	3.0"	Manual / Auto	Electric	<b>C50226T-15</b>	6481	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	3.0"	Auto / Manual	Electric	<b>C50295A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	3.0"	Auto / Manual	Electric	<b>C50295A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	3.0"	Manual / Manual	Electric	<b>C50295-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	3.0"	Manual / Manual	Electric	<b>C50295-24</b>	6447 / 6448	<b>PH5</b>

<b>UNIVERSAL 3.5"</b>						
<b>AUTOMATIC</b> MAG 3/4" w/ 5' HARNESS	3.5"	Auto / Auto or Manual	Electric	<b>C60256A</b>	6492 / 6493	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/4" w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	<b>C60256A-10</b>	6492 / 6493	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER UP TO & INCLUDING 2018 w/ APEX CONNECTOR‡, w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	<b>C60256A-J10</b>	6492 / 6493	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER 2018+ w/ MCON 1.2 CONNECTOR‡, w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	<b>C60256A-2J10</b>	6492 / 6493	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	3.5"	Auto / Auto or Manual	Electric	<b>C60256A-R</b>	6492 / 6493	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	<b>C60256A-R10</b>	6492 / 6493	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	<b>C60256T</b>	6495	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	<b>C60256T-10</b>	6495	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	<b>C60256T-15</b>	6495	<b>PH3</b>
<b>MANUAL</b> 20' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	<b>C60256T-20</b>	6495	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	3.5"	Auto / Manual	Electric	<b>C50296A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	3.5"	Auto / Manual	Electric	<b>C50296A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	3.5"	Manual / Manual	Electric	<b>C50296-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	3.5"	Manual / Manual	Electric	<b>C50296-24</b>	6447 / 6448	<b>PH5</b>



UPDATED: February 13, 2024

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 4.0"</b>						
GENERIC	4.0"	Manual / Manual	Electric	C50209	6274	PH2
GENERIC 24 VDC	4.0"	Manual / Manual	Electric	C50209-24	6274	PH2
GENERIC	4.0"	Auto / Manual	Electric	C50209A	6275	PH2
GENERIC 24 VDC	4.0"	Auto / Manual	Electric	C50209A-24	6275	PH2
AUTOMATIC MAG 3/4" w/ 5' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A	6492 / 6493	PH3
AUTOMATIC MAG 3/4" w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-10	6492 / 6493	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER (UP TO & INCLUDING 2018) w/ APEX CONNECTOR, w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-J10	6492 / 6493	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER 2018 + w/ MCON 1.2 CONNECTOR, w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-2J10	6492 / 6493	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-R	6492 / 6493	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-R10	6492 / 6493	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T	6495	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-10	6495	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-15	6495	PH3
MANUAL 20' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-20	6495	PH3
AUTOMATIC GENERIC 12 VDC	4.0"	Auto / Manual	Electric	C50297A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	4.0"	Auto / Manual	Electric	C50297A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	4.0"	Manual / Manual	Electric	C50297-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	4.0"	Manual / Manual	Electric	C50297-24	6447 / 6448	PH5

<b>UNIVERSAL 5.0"</b>						
GENERIC	5.0"	Auto / Manual	Electric	C50247A	6275	PH2
GENERIC 24 VDC	5.0"	Auto / Manual	Electric	C50247A-24	6275	PH2
GENERIC	5.0"	Manual / Manual	Electric	C50247	6274	PH2
GENERIC 24 VDC	5.0"	Manual / Manual	Electric	C50247-24	6274	PH2
AUTOMATIC GENERIC 12 VDC	5.0"	Auto / Manual	Electric	C50298A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	5.0"	Auto / Manual	Electric	C50298A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	5.0"	Manual / Manual	Electric	C50298-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	5.0"	Manual / Manual	Electric	C50298-24	6447 / 6448	PH5

<b>CUSTOM CALL 800.663.0096 FOR ADDITIONAL INFORMATION</b>						
GENERIC	2.8" - 5"	Auto / Manual	Electric - Double Pull Cable	CONTACT PACBRAKE	6372	PH2
GENERIC	2.8" - 5"	Manual / Manual	Pneumatic	CONTACT PACBRAKE	6251	PH2



**PACBRAKE**

USA 1670 Grant Ave, Blaine, WA 98230 • 800.663.0096 / pacbrake.com  
CANADA 26688 56 Ave, Langley, BC V4W 3X5 • EMAIL info@pacbrake.com • FAX 604.882.2330

UPDATED: February 13, 2024

PRODUCT	VALVE SIZE	APPLICATION	PART #	INSTALL MANUAL	PRODUCT CODE
<b>ACCESSORIES</b>					
<i>Jumper Harness</i>					
AUXILIARY INPUT JUMPER HARNESS 12 VDC		Universal	C50159	L6396	PH3
AUXILIARY INPUT JUMPER HARNESS 24 VDC		Universal	C50159-24	L6396	PH3
<i>Position Switches</i>					
VALVE POSITION SWITCH VALVE OPEN, SWITCH CLOSED			C50288	L6447	PH5
VALVE POSITION SWITCH VALVE OPEN, SWITCH OPEN			C50289	L6447	PH5

